


knill
Fabrication Ltd.
519-442-2424

Knill Drinking Fountain
Triple Basin:
Standard & Accessible
with Dog Watering Feature
Model Number: 350020
(The Niagara)
 - General Specifications -

Dimensions shown are in inches.
 Rev.: 04Mar22



knill
Fabrication Ltd.
519-442-2424

Knill Drinking Fountain

Triple Basin:

Standard & Accessible

with Dog Feature

Model Number: **350020**



knill

Fabrication Ltd.

519-442-2424


- Supply Connections -

Rev.: 04Mar22



Item Number	Part Number	Description	Qty
1	LK142	Elkay Push Button Bubbler, Conforms to CSA B125.1	1
2	98481C	Elkay Vandal-Resistant Bubbler, 1/4" Press Fit	2
3	98530C	Elkay Regulator, 1/4" Press Fit	2
4	98682C	Elkay Large Diameter Push Button	2
5	216P-8-6	Brass Reducer (Removable A/R) 1/2" Male Pipe to 3/8" Female Pipe	1
6	A6FC6-MG	Plastic Connector, 3/8" Tube to 3/8" Pipe Thread	2
7	A6TU4-MG	Plastic Tee Connector, 3/8" Tube to 1/4" Tube	2
8	E-43-0100	Polyethylene Tubing, 1/4" O.D. x .040" Wall, FDA Compliant, Conforms to ASTM D-1693 & D-1248, Type 1, Class A, Category 4, Grade E5, NSF-51, NSF-61	A/R
9	E-64-0100	Polyethylene Tubing, 3/8" O.D. x .062" Wall, FDA Compliant, Conforms to ASTM D-1693 & D-1248, Type 1, Class A, Category 4, Grade E5, NSF-51, NSF-61	A/R
10	AUC0604	Plastic Connector, 3/8" Tube to 1/4" Tube	2
11	K2533JJ	Water Filter with 1/4" Tube Quick Fit Connections	1
12	2225P-8	Brass T-Connector, 1/2" Female NPT	1
13	000362160	Ball Valve Shut-Off, 1/2" Female NPT	1
14	SF-1/2	Brass Hose Bib/Valve, 1/2" Male NPT	1
15			

Note: Knill Fabrication Ltd. maintains a policy of continuous product improvement. As a result, some details may change without notice.



knill

Fabrication Ltd.
519-442-2424

Knill Drinking Fountain
Triple Basin:
Standard & Accessible
with Dog Feature
Model Number: 350020

- Drain Connections -

Rev.: 04Mar22

Item Number	Part Number	Description	Qty
1	435-015	Spears PVC Coupler, 1 1/2" Female Thread to 1 1/2" Slip Fit, ASTM D2466	2
2	401-015	Spears PVC Coupler, T-Fitting, Slip Fit, ASTM D2466	2
3	436-015	Spears PVC Coupler, Male Adaptor, 1 1/2" Male Thread to 1 1/2" Slip Fit, ASTM D2466	1
4	N/A	PVC Pipe, 1 1/2" (40mm), ASTM D2241	A/R

Note: Knill Fabrication Ltd. maintains a policy of continuous product improvement. As a result, some details may change without notice.

